Confirmation No.: 7128

AMENDMENT TO THE CLAIMS

1. (Currently amended) A method of authenticating a user of a client computer at a server computer

executing a distributed application on a plurality of data processing agents, comprising the steps of:

receiving a service request from the user at a first data processing agent;

submitting an authentication request from the first data processing agent to a second data

processing agent to authenticate the user;

receiving a response to the authentication request at the first data processing agent from the

second data processing agent, wherein, if the user is successfully authenticated, the response

includes authentication information that the first data processing agent can use to authenticated a

subsequent user service request without submitting a subsequent authentication request to the

second data processing agent; and

if the received response indicates that the user is successfully authenticated, providing the

requested service to the user.

2. (Original) The method of claim 1, wherein the received response includes a level of access

privileges for the user, and the providing step includes the step of determining the service provided

to the user based upon the user's access privilege level.

3. (Original) The method of claim 1, further including the steps of receiving the service request from

the user at the first data processing agent included in a first server, and submitting the authentication

request from the first data processing agent to the second data processing agent included in a second

server.

-2- BEST AVAILABLE COPY

WEINGARTEN, SCHURGIN GAGNEBIN & LIEDOVICI LLI: TEL. (617) 342-2290 FAX. (617) 451-0313

Confirmation No.: 7128

4. (Currently amended) A system for authenticating a user of a client computer at a server computer

executing a distributed application on a plurality of data processing agents, the system comprising:

a server including a first data processing agent for receiving a service request from the user

and a second data processing agent for authenticating the user,

wherein the first data processing agent is configured to submit includes resources for

submitting an authentication request to the second data processing agent to authenticate the user,

and

wherein the second data processing agent is configured to receive includes resources for

receiving the authentication request, attempting to authenticate the user, and transmitting a response

indicative of whether the user is successfully authenticated to the first data processing agent,

wherein, if the user is successfully authenticated, the response includes authentication information

that the first data processing agent can use to authenticate a subsequent user service request without

submitting a subsequent authentication request to the second data processing agent.

5. (Currently amended) A method of authenticating a user of a client computer at a server computer

executing a distributed application on a plurality of first data processing agents, comprising the steps

of:

receiving a first service request from the user at a-one of the plurality of first data processing

agent;

submitting an authentication request from the one of the plurality of first data processing

agent to a second data processing agent to authenticate the user,

authenticating the user at the second data processing agent;

-3-

Application No. 09/585,747

Filed: June 2, 2000 TC Art Unit: 2132

Confirmation No.: 7128

if the user is successfully authenticated, storing a first timeout value indicative of a

predetermined first time period on the second data processing agent;

determining whether the predetermined first time period is exceeded; starting from a time of

receipt of the first service request; and

if the predetermined first time period is exceeded without receiving a second service request

from the user, requiring the user to be authenticated at the second data processing agent upon receipt

of the second service requests; and

if the second service request is received from the user at another of the plurality of first data

processing agents before the first time period is exceeded, restarting the first timeout period.

6. (Currently amended) The method of claim 5, further including the steps of receiving the second

service request from the user, and determining whether the first predetermined time period is

exceeded starting from the time of receipt of the second service request.

7. (Currently amended) The method of claim 5, further including the steps of receiving the second

service request from the user at the one of the plurality of first data processing agents, transmitting a

message from the one of the plurality of first data processing agents to the second data processing

agent including a notification that the second service request is received, receiving the notification at

the second data processing agent, and determining whether the predetermined time period is

exceeded starting from the time of receipt of the notification.

4-

Confirmation No.: 7128

8. (Currently amended) A system for authenticating a user of a client computer at a server computer

executing a distributed application on a plurality of data processing agents, the system comprising:

a server including a plurality of first data processing agents for receiving service requests

from the user and a second data processing agent for authenticating the user,

wherein each of the plurality of first data processing agents is configured to submit includes

resources for submitting an authentication request to the second data processing agent to

authenticate the user,

wherein the second data processing agent is configured to receive includes resources for

receiving-the authentication request, attempting to authenticate the user, storeing a first timeout

value indicative of a first predetermined time period if the user is successfully authenticated, and

determineing whether the first predetermined time period is exceeded, starting from a time of

receipt of a first service request at the first data processing agent, and

wherein each of the plurality of first data processing agents is further configured to notify

the second data processing agent if a second service request is received from the user and the second

data processing agent is configured to restart the first timeout period in response to receiving the

notification,

wherein each of the plurality of first data processing agents is further configured to includes

resources for requireing the user to be re-authenticated at the second data processing agent upon

receipt of a second service request if the first predetermined time period is exceeded before the

second service request is received.

9-11. (Canceled)

-5-

Confirmation No.: 7128

12. (New) The method of claim 1, wherein the step of receiving the response to the authentication

request at the first data processing agent includes receiving authentication information that includes

a user name and a password associated with the user.

13. (New) The method of claim 1, further comprising the steps of:

storing the received authentication information on the first data processing agent;

receiving a second service request from the user at the first data processing agent; and

using the stored authentication information to authenticate the user without submitting a

subsequent authentication request to the second data processing agent.

14. (New) The system of claim 4, wherein the authentication information includes a user name and

a password associated with the user.

15. (New) The system of claim 4, wherein the first data processing agent is further configured to:

store the received authentication information; and

use the stored authentication information to authenticate the user in response to receiving a

second service request from the user without submitting a subsequent authentication request to the

second data processing agent.

-6-

Application No. 09/585,747 Filed: June 2, 2000 TC Art Unit: 2132 Confirmation No.: 7128

16. (New) The method of claim 5, further comprising the steps of:

receiving the second service request from the user at the other first data processing agent;

and

transmitting a message from the other first data processing agent to the second data

processing agent indicating receipt of the second service request from the user; and

wherein the step of resetting the timeout period is responsive to receipt of the message

indicating receipt of the second service request from the user.

17. (New) The method of claim 5, further comprising the steps of:

if the user is successfully authenticated, storing a second timeout value indicative of a

second predetermined time period on at least one of the plurality of first data processing agents; and

if the at least one of the plurality of first data processing agents receives the second service

request before the second timeout period is exceeded:

restarting the second timeout period stored on at least the second data processing

agent that received the second service request; and

providing the requested service to the user without requiring the user to be

authenticated at the second data processing agent upon receipt of the second service request.

18. (New) The method of claim 17, wherein the second predetermined time period is less than the

first predetermined time period.

-7-

Application No. 09/585,747 Filed: June 2, 2000 TC Art Unit: 2132 Confirmation No.: 7128

19. (New) The method of claim 17, further comprising the step of inputting the second timeout value from the user.

20. (New) The method of claim 5, further comprising the step of inputting the first timeout value from the user.

21. (New) The system of claim 8, wherein at least one of the plurality of first data processing agents is configured to:

store a second timeout value indicative of a second time period if the user is successfully authenticated; and

if the least one of the plurality of first data processing agents receives the second service request before the second timeout period is exceeded:

restart the second timeout period; and

provide the requested service to the user without requiring the user to be authenticated at the second data processing agent upon receipt of the second service request.

- 22. (New) The system of claim 21, wherein the second predetermined time period is less than the first predetermined time period.
- 23. (New) The system of claim 22, wherein at least one of the plurality of first data processing agents is configured to receive the second timeout value from the user.

-8-

Application No. 09/585,747 Filed: June 2, 2000 TC Art Unit: 2132 Confirmation No.: 7128

24. (New) The system of claim 22, wherein the second data processing agent is configured to receive the second timeout value from the user.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.